

MATERIAL SAFETY DATA SHEET

REVISION NO. 11

REVISION DATE: 03.22.01

SECTION I – SOURCE AND NOMENCLATURE

Manufacturer's Name

LuBoron, LLC

Address

1147 River Road
Charlottesville, VA 22901

Emergency Telephone No.

866-582-6766

Chemical Family

HYDROCARBONS/BORON

Chemical Formula: MIXTURE

Trade Name and Synonyms

AUTOMATIC TRANSMISSION TREATMENT

AUTOMATIC FLUID TRANSMISSION TREATMENT

Chemical Name: Mixture/Telomer & Hydrocarbon w/Boron

SECTION II – OSHA REGULATED INGREDIENTS

CAS Regulation No: Mixture --- Product Number 4197700021.

Product and Components are not known to contain any chemical listed as a carcinogen or suspected carcinogen by OSHA Hazard communication standard 29CFR 1910.1200, 1ARC, or the National Toxicology Program (NTP) at a concentration greater than 0.1%.

<u>Ingredients</u>	<u>CAS No.</u>	<u>% by Wt.</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Parraffinic hydrocarbons	64742-96-7	>55	NE	NE
Olefinic hydrocarbons	Various	<5	NE	NE
Aromatic hydrocarbons	Various	>27	NE	NE
Boron & derivatives	<5,000ppm		NE	NE

SECTION III – PHYSICAL DATA

Boiling Point: 340-690F (171-366)

Viscosity: 96 cSt @ 104 F (40C)

Solubility in Water: Insoluble

Vapor Pressure: mmHG @ 25 C<1

Evaporation Rate: Negligible

Stability: Stable under normal cond.

Vapor Density: (Air=1) :> heavier than air

Percent Volatile by Volume: Negligible

Specific Gravity: (H2O=1): 0.87 @ 60/60F
(16/16C)

Appearance/Odor

RED OILY LIQUID/MILD ODOR

SECTION IV – FIRE AND EXPLOSION DATA

Flash Point (coc): >400F (>204C) (Estimated)

Auto-Ignition temperature: >500 F.

Flammable Limits (N/A):

LEL – not established

ULE – not established

Fire Extinguishing Media

CO 2, DRY CHEMICAL, FOAM, OR CARBON DIOXIDE

Special Fire Fighting Procedures:

Evacuate area of all unnecessary personnel. Shut off source, if possible. Use NIOSH/MSHA – approved, self-contained breathing apparatus and other protective equipment and/or garments described in Section IX if conditions warrant. Water fog or spray may be used to cool exposed containers and equipment. Do not spray water directly on fire – product will float and could be reignited on surface of water.

Fire and Explosion Hazards: Carbon and various oxides formed when burned.

SECTION V – HEALTH HAZARD DATA

Recommended Exposure Limits: Not Established

Acute Effects of Overexposure:

Eyes: IMMEDIATELY FLUSH WITH LARGE QUANTITIES OF COOL WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

Skin: MAY CAUSE SEVERE IRRITATION. REPEATED OR PROLONGED CONTACT MAY CAUSE DEFATTING OF THE SKIN, RESULTING IN DERMATITIS.

Inhalation: MAY CAUSE IRRITATION TO NOSE, THROAT, OR LUNGS, HEADACHE, NAUSEA, DIZZINESS, NERVOUSNESS MAY OCCUR.

Ingestion: MAY CAUSE IRRITATION TO INTESTINES, MAY CAUSE HEADACHE, NAUSEA, UNCONSCIOUSNESS. IF SWALLOWED, MAY BE ASPIRATED, RESULTING IN INGLAMMATION AND POSSIBLE FLUID ACCUMULATION IN THE LUNGS.

Sub chronic and Chronic Effects of Overexposure: Inhalation of vapors may cause carboxyhemoglobinemia. Chronic exposure to carbon monoxide causes fatigue, poor memory, loss of sensation in fingers, visual disturbances and insomnia. Carboxyhemoglobinemia is frequently misdiagnosed as flu.

Other Health Effects: No known applicable information.

Health Hazard Categories:

	Animal	Human		Animal	Human
Known Carcinogen	_____	_____	Toxic	_____	_____
Suspect Carcinogen	_____	_____	Mild Corrosive	_____	_____
Mutagen	_____	_____	Irritant	X	X
Teratogen	_____	_____	Target Organ Toxin	_____	_____
Allergic Sensitizer	_____	_____	Specify	_____	_____

Emergency and First-Aid Procedures

Eye: FLUSH EYES WITH RUNNING WATER FOR AT LEAST 15 MINUTES. IF IRRITATION OR ADVERSE SYMPTOMS DEVELOP, SEEK MEDICAL ATTENTION.

Skin: IMMEDIATELY WAS SKIN W/SOAP AND WATER FOR AT LEAST 15 MINUTES. IF IRRITATION OR ADVERSE SYMPTOMS DEVELOP, SEEK MEDICAL ATTENTION.

Inhalation: REMOVE FROM EXPOSURE. IF BREATHING IS DIFFICULT, GIVE OXYGEN IF BREATHING CEASES, ADMINISTER ARTIFICIAL RESPIRATION FOLLOWED BY OXYGEN. SEEK IMMEDIATE MEDICAL ATTENTION.

Ingestion: DO NOT INDUCE VOMITING, SEEK IMMEDIATE MEDICAL ATTENTION.

Note to Physician: Gastric lavage using a cuffed endotracheal tube may be performed at your discretion.

SECTION VI – HEALTH CLASSIFICATION

This product meets the following hazard definition(s) as defined by the occupational Safety and Health Hazard Communication Standard (29 CFR Section 1910.1200):

<input checked="" type="checkbox"/> Combustible Liquid	_____	Flammable Aerosol	_____	Oxidizer
_____ Compressed Gas	_____	Explosive	_____	Pyrophoric
_____ Flammable Gas	<input checked="" type="checkbox"/>	Health Hazard (Section V)	_____	Unstable
_____ Flammable Liquid	_____	Organic Peroxide	_____	Water Reactive
_____ Flammable Solid				

Based on information presently available, this product does not meet any of the hazard definitions of 29 CFR Section 1910.1210.

Additional Comments; SARA 313: This product contains the following chemical or chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372. (See Sara 313 Section B): NONE

SECTION VII – REACTIVITY DATA

Stability: STABLE

Conditions To Avoid: NOT ESTABLISHED

Incompatibility (Materials to Avoid): OXYGEN AND STRONG OXIDIZING AGENTS

Hazardous Polymerization: WILL NOT OCCUR

Conditions to Avoid: NOT ESTABLISHED

Hazardous Decomposition of Products: CARBON AND VARIOUS HYDROCARBONS FORMED WHEN BURNED

SECTION VIII – SPILL, LEAK, AND DISPOSAL PROCEDURES

Precautions Required if Material is Released or Spilled: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Take up small spills with dry chemical absorbents. Large spills may be taken up with pump or vacuum and finished off with dry chemical absorbent. May require excavation of contaminated soil.

Water Disposal (Insure Conformity with all Applicable Disposal Regulations): Incinerate or place in permitted waste-management facility.

SECTION IX – HANDLING AND STORAGE PRECAUTIONS

Do not get in eyes, on skin, or on clothing. Avoid breathing vapors, mist, fume, or dust. Do not swallow. May be aspirated into lungs. Wear protective equipment and/or garments described in Section IX if exposure conditions warrant. Wash thoroughly after handling. Launder contaminated clothing before reuse. Use with adequate ventilation.

Keep away from heat, sparks, and flames. Store in well-ventilated area. Store in closed container. Bond and ground during transfer.

SECTION X – PERSONAL PROTECTION INFORMATION

Ventilation Requirements: USE ADEQUATE VENTILATION.

Protective Equipment

Eye: FOR SPLASH PROTECTION, USE CHEMICAL GOGGLES AND FACE SHIELD.

Skin: USE GLOVES RESISTANT TO THE MATERIAL BEING USED (i.e. NEOPRENE OR NITRILE RUBBER). USE PROTECTIVE GARMENTS TO PREVENT EXCESSIVE SKIN CONTACT.

Respirator: NOT GENERALLY REQUIRED UNLESS NEEDED TO PREVENT RESPIRATORY OF SPILL OR LEAK RESULTING IN UNKNOWN CONCENTRATION. USE NIOSH/MSHA – APPROVED SUPPLIED AIR RESPIRATOR.

NOTE: The Personal Protection Information shown above is based upon general information as to normal uses and conditions. Where special or unusual uses or conditions exist, it is suggested that the expert assistance of an industrial hygienist or other qualified professional be sought.

SECTION XI – PROTECTION REQUIRED FOR WORKING ON CONTAMINATED EQUIPMENT

Contact immediate supervisor for specific instructions before work is initiated. Wear protective equipment and/or garments described in Section VIII if exposure conditions warrant.

SECTION XII – PROTECTION REQUIRED FOR WORKING ON CONTAMINATED EQUIPMENT

Shipping Name: Petroleum oil. Not designated as a hazardous material by the federal D.O.T.
Hazard Class: Not designated as a hazardous material by the federal D.O.T.
ID Number: NA **Packing Group:** NA
Label: None **Marking:** Gear Lubricant
Shipping Description: Gear Lubricant **Packaging References:** NA

NOTE: This product may be reclassified as a combustible liquid when shipped domestically by land only. If reclassified as a combustible liquid, this product is unregulated by D.O.T. when shipped in nonbulk quantities.

SECTION XIII – RCRA CLASSIFICATION

UNADULTERATED PRODUCT AS A WASTE

Prior to disposal, consult your environmental contact to determine if TLCP (Toxicity Characteristic Leaching Procedure, EPA, Test Method 1311) is required. Reference 40 CFR Part 261.

Advanced Lubrication Technology, Inc. (ALT) believes that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS OR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED.

The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and information referred to herein are beyond the control of ALT, ALT expressly disclaims any and all liability as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as permission or recommendation for the use of any product in manner that might infringe existing patents.